



Shandong Shenjie Bearing Co., Ltd.



6319LLUC3/EM Bearing 2D drawings and 3D CAD models

NTN 6319LLUC3/EM Single Row Ball Bearings

Bearing No. 6319LLUC3/EM

Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	5.834
EAN	4547359580372
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C3-Loose
Inch - Metric	Metric
Long Description	95MM Bore; 200MM Outside Diameter; 45MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C3-Loose Internal Clearance; Steel Cage;
Other Features	Deep Groove Double Lip Friction Nitrile Rubber Seal -20 To 120 Deg C Electric Motor Grade



Shandong Shenjie Bearing Co., Ltd.

Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	6319LLUC3/EM
Weight / LBS	12.8617
Outer Race Width	1.772 Inch 45 Millimeter
D	7.874 Inch 200 Millimeter
Inner Race Width	0 Inch 0 Millimeter
d	3.74 Inch 95 Millimeter
bore diameter:	95 mm
precision rating:	ISO Class 0
outside diameter:	200 mm
finish/coating:	Uncoated
overall width:	45 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Sealed
inner ring width:	45 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	45 mm
snap ring included:	Without Snap Ring
maximum rpm (grease):	2300 rpm
internal clearance:	C3
fillet radius:	3 mm
operating temperature range:	-40 to 120 ° C
maximum rpm:	3900 RPM
dynamic load capacity:	153000 N



Shandong Shenjie Bearing Co., Ltd.

series:	63
static load capacity:	119000 N
manufacturer product page:	Click here